

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



CLAMP DIN94

HARDWARE - PINS, PINS

Dimension: 3,2x50, 3,2x63, 3,5x30, 3,5x60, 4x36, 4x40, 4x56, 4x63, 4x80, 5x45, 5x71, 5x110, 6,3x50, 6,3x63, 2,5x50, 3,2x40



SINGLE COTTER PIN

HARDWARE - PINS, PINS

Single spring cotter pin DIN 11024 (spring cotter pin, lock, springlock), safety cotter pin for securing removable pin connections.

Dimension: 2x50, 3x60, 3x80, 4x60, 4x80, 4x85, 5x85, 5x100, 5x135, 6,3x115, 7x105, 8x100, 8x110, 8x130, 8x140



WITH HOOK

HARDWARE - READ MORE

S-hook (S-hook, emergency hook), simple hanging element with versatile use in the household, workshop, garden, construction, industry.

Size: 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm



WELDED RING

HARDWARE - READ MORE

Dimension: 3x20, 3,5x25, 4x30, 5x40, 6x40, 6x50, 7x35, 7x50, 8x50, 8x60, 10x50, 10x80, 12x60, 12x100



DOUBLE COTTER PIN

HARDWARE - PINS, PINS

Double spring lock clamp DIN 11024 (double springlock clamp), safety clamp for securing removable pin connections.

Dimension: 2x50, 3x62, 3x85, 4x85, 4x100, 5x85, 5x92, 5x115, 5x200, 6x120



EMERGENCY ARTICLE

HARDWARE - READ MORE

Emergency link (chain link), link for simple joining and repair of welded chains. Use workshop, garden, forestry and agricultural industry. Surface treatment galvanic white zinc.

Size: 4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm



SAFETY PIN

HARDWARE - PINS, PINS

Locking pin, DIN 11023 (locking, pipe pin, lynch pin), locking pin for securing tubular disassembled joints. In white electroplated zinc finish.

Dimension: 4,5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm



CARBINE

HARDWARE - CARBINES

The basic type of carabiner, without eye and lock.

Carabiner size: 40x4, 50x5, 60x6, 70x7, 80x8, 90x9, 100x10, 120x11, 140x12, 160x13, 180x14



CONNECTING LINK (RAPID)

HARDWARE - CARBINES

Rapid link (carabiner rapid, connecting link) - it is a steel link with a nut for tight connection of the strap with a rope or chain.

Size: 4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 12 mm



PIPE SAFETY PIN

HARDWARE - PINS, PINS

Tubular locking pin (locking, tubular pin, circular cotter pin, lynch pin), locking pin for securing tubular demountable joints. In white electroplated zinc finish.

Dimension: 6 mm, 8 mm, 10 mm



CARBINER WITH SAFETY CATCH

HARDWARE - CARBINES

Carabiner with screwable safety - so called fireman's carabiner.

Size: 50x5, 60x6, 70x7, 80x8, 90x9, 100x10, 120x11, 140x13



SWING HOOK WITH THREAD

HARDWARE - SWING ASSORTMENT

Threaded swing (safety) hook with long bend for safe hanging of e.g. swings and hammocks.

Dimension (mm): M8x120, M10x150, M12x180



PULLEY WITH METAL COIL

HARDWARE - PULLEYS

Single pulley with steel coil is nickel plated and greased. The pulley has a fixed hinge and the pulley housing is made of zinc alloy.

Size: 5/15, 6/20, 7/25, 8/30, 9/35



ROTARY PULLEY WITH METAL COIL

HARDWARE - PULLEYS

The swivel pulley with metal coil has a steel coil and swivel hinge, is nickel plated and brass plated. The pulley housing is made of zinc alloy.

Size: 6/20, 8/30, 9/35, 9/45



PULLEY WITH NYLON COIL

HARDWARE - PULLEYS

The pulley is designed for hanging textile ropes and cords. The pulley has a fixed hinge, the pulley housing is made of zinc alloy. It has a nylon spool and is finished in white galvanised zinc.

Size: 6/20, 7/25, 8/30, 9/40, 12/50, 15/65



SWING EYE WITH THREAD

HARDWARE - SWING ASSORTMENT

Swing eye (eye with metric thread) not only for safe hanging of swings.

Dimension: M10x150, M12x200



SWING HOOK WITH SCREW

HARDWARE - SWING ASSORTMENT

Swing hook with screw, with long bend for safe hanging of e.g. swings and hammocks.

Dimension (mm): 7,6x120, 8,6x140, 10,6x160



EYE TENSIONER - HOOK

HARDWARE - TENSIONERS

The tensioners are manufactured according to DIN 1480. There are 3 versions available: eye to eye, eye to hook or hook to hook. They are suitable as tensioners for wire ropes. If you need to tighten a stretched rope, this French mother is a suitable element. It contains right and left hand threads, which ensures ideal tightening without twisting the rope.

Thread: M6, M8, M10, M12, M14, M16, M20, M24



HOOK-HOOK TENSIONER

HARDWARE - TENSIONERS

The DIN 1480 hook-hook tensioner (tensioning screw, tensioner) is available in white galvanic zinc finish.

Thread: M6, M8, M10, M12, M14, M16, M20



EYE-TO-EYE TENSIONER

HARDWARE - TENSIONERS

We offer the DIN 1480 eyebolt (tensioning screw, tensioner) in white galvanic zinc finish.

Thread: M6, M8, 10, M12, M14, M16, M20



BUTCHER'S HOOK

HARDWARE - READ MORE

Butcher's hook (meat hook, meat hook, spiked hook) hook with round steel spike.

Surface finishing: stainless steel

Size: 4/100, 5/120, 5/140, 6/120, 6/160, 8/160, 8/200



SWING HOOK WITH SCREW

HARDWARE - SWING ASSORTMENT

Swing hook with screw and sleeve (with slip insert), for safe hanging of e.g. swings and hammocks.

Dimension (mm): 10,6x200, 10,6x250



SWING HOOK WITH THREADED SWING

HARDWARE - SWING ASSORTMENT

Swing hook with thread and slip insert, with long bend for safe hanging of e.g. swings and hammocks.

Dimension (mm): M10x200, M12x200, M12x250, M12x300



CHAIN SWIVEL EYE G-401

HARDWARE - CROPS

Chain swivel eye G-401 in hot dipped zinc finish.

Size: size 6 / 0,2 t, size 8 / 0,4 t, size 10 / 0,5 t



STAINLESS STEEL EYELET A4

HARDWARE - CROPS

Made of A4 stainless steel (AISI316).

Size: 5 mm, 6 mm, 8 mm, 10 mm



SWIVEL EYE G-402

HARDWARE - CROPS

Swivel eye G-402 in hot dipped zinc finish.

Size: size 6 / 0,2 t, size 8 / 0,4 t, size 10 / 0,6 t



SWING HOOK WITH CARABINER-HOOK

HARDWARE - SWING ASSORTMENT

Swing hook with carabiner and slip insert, hook with high load capacity for safe hanging of e.g. swings and hammocks.

Dimension (mm): M12x230, M12x280, M12x350



CAST PULLEY

HARDWARE - PULLEYS

It is a semi-finished product for the production of pulleys for various applications. For example, weight training and exercise machines, suspension equipment, rope guides and many other applications. The pulleys have a pre-cast dimple for drilling the centre hole. The centre hole for turning the pulley is made by the customer according to his needs.

Diameter: 30mm, 40mm, 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 120mm



EYE SWIVEL WITH FORK G-403

HARDWARE - CROPS

Swivel eye with fork G-403 in surface finish: hot dipped zinc.

Size: size 6 / 0,2 t, size 8 / 0,4 t, size 10 / 0,6 t, size 12 / 0,9 t, size 16 / 1,6 t



RING FORGED ALLOY

HARDWARE - READ MORE

Dimension / load capacity: 50,3x75,5x12,6 / 1t, 75,5x107x15,8 / 1,5t, 103x143x20 / 2,5t



FORK-FORK TRIMMER STAINLESS STEEL A4

HARDWARE - CROPS

The turner is made of A4 stainless steel (AISI316).

Size: 5 mm, 6 mm, 8 mm, 10 mm



SWING CLAMP WITH CARABINER

HARDWARE - SWING ASSORTMENT

Swing clamp with carabiner (swing clamp), solid round clamp (3-3.5 mm sheet metal) for safe hanging of e.g. swings and hammocks. Load capacity 150 kg.

Dimension: 50 mm, 80 mm, 100 mm, 120 mm



SWING HOOK WITH STIRRUP

HARDWARE - SWING ASSORTMENT

Swing hook with shackle - this is a swing hook with an anchor plate and D shackle in a slip sleeve that is used to safely hang swings.

Dimension (mm): M10x140, M12x160



STEEL PULLEY WITH FLANGE

HARDWARE - PULLEYS

The pulley has a cast iron coil, the housing is steel.

Size: 5/50, 6/75, 8/90, 10/100, 11/125



STEEL PULLEY WITH SWIVEL HOOK

HARDWARE - PULLEYS

Size: 5/50, 6/75, 8/90, 10/100, 10/125



STEEL PULLEY WITH SWIVEL EYE

HARDWARE - PULLEYS

The steel swivel eye pulley is available in white galvanic zinc finish. The pulley has a cast iron coil and its housing is made of steel.

Size: 6/75, 8/90, 10/100



CONSTRUCTION PULLEY WITH HOOK

HARDWARE - PULLEYS

Masonry hammer with hook 125mm/ 500kg. The cast iron construction pulley with hook and guide rail is made of ductile cast iron CGG 40 DIN 1692 in black lacquer finish. The pulley has a hook-shaped hinge and is equipped with a guide rail. The pulley housing is also made of cast iron. It serves as a portable tool for assembly and masonry work for lifting and pulling loads with manual force by pulling hemp or polyamide rope.

900273

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	