

MU

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

| | | | |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231 | Казань (843)206-01-48 | Новокузнецк (3843)20-46-81 | Смоленск (4812)29-41-54 |
| Архангельск (8182)63-90-72 | Калининград (4012)72-03-81 | Новосибирск (383)227-86-73 | Сочи (862)225-72-31 |
| Астрахань (8512)99-46-04 | Калуга (4842)92-23-67 | Омск (3812)21-46-40 | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60 | Кемерово (3842)65-04-62 | Орел (4862)44-53-42 | Сургут (3462)77-98-35 |
| Белгород (4722)40-23-64 | Киров (8332)68-02-04 | Оренбург (3532)37-68-04 | Тверь (4822)63-31-35 |
| Брянск (4832)59-03-52 | Краснодар (861)203-40-90 | Пенза (8412)22-31-16 | Томск (3822)98-41-53 |
| Владивосток (423)249-28-31 | Красноярск (391)204-63-61 | Пермь (342)205-81-47 | Тула (4872)74-02-29 |
| Волгоград (844)278-03-48 | Курск (4712)77-13-04 | Ростов-на-Дону (863)308-18-15 | Тюмень (3452)66-21-18 |
| Вологда (8172)26-41-59 | Липецк (4742)52-20-81 | Рязань (4912)46-61-64 | Ульяновск (8422)24-23-59 |
| Воронеж (473)204-51-73 | Магнитогорск (3519)55-03-13 | Самара (846)206-03-16 | Уфа (347)229-48-12 |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70 | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04 |
| Иваново (4932)77-34-06 | Мурманск (8152)59-64-93 | Саратов (845)249-38-78 | Челябинск (351)202-03-61 |
| Ижевск (3412)26-03-58 | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93 | Череповец (8202)49-02-64 |
| Иркутск (395)279-98-46 | Нижний Новгород (831)429-08-12 | Симферополь (3652)67-13-56 | Ярославль (4852)69-52-93 |
| Россия (495)268-04-70 | Киргизия (996)312-96-26-47 | Казахстан (7172)727-132 | |

MULCHER 2.100

MU/04



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened-wall material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Variant for straw crushing and variant combi (grass - straw): for mulching of straw or straw + grass, the mulcher is constructively modified. In addition, we have a contra-rotating cutter, the back cover is hinged and has propellers that blow the straw into the interline. The knives are straight II, for the combined version of the knife II + Y. The extra variant costs 7000 CZK

Technical parameters

| | |
|-------------------------------------|-----------------------------------|
| ● Length | 1,35 m |
| ● Width | 2,45 m |
| ● Height | 0,9 m |
| ● Weight | 620 kg |
| ● Working area width | 2,1 |
| ● Tractor power from | 35 kW |
| ● Cardan RPM | 540 RMP |
| ● Hinge type | II - as specified by the customer |
| ● Rotating cylinder RPM | 1 700 RMP |
| ● Standard knives Y - max. wood 3cm | 64pcs. |
| ● Hammer - max. wood 7cm | 32pcs. |
| ● Straigt knives II - straw | 64pcs. |
| ● Type | Back - solid |
| ● | |

MULCHER 1.800

MU/03



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Variant for straw crushing and variant combi (grass - straw): for mulching of straw or straw + grass, the mulcher is constructively modified. In addition, we have a contra-rotating cutter, the back cover is hinged and has propellers that blow the straw into the interline. The knives are straight II, for the combined version of the knife II + Y. The extra variant costs 7000 CZK

Technical parameters

| | |
|-------------------------------------|-----------------------------------|
| ● Length | 1,35 m |
| ● Width | 2,15 m |
| ● Height | 0,9 m |
| ● Weight | 530 kg |
| ● Working area width | 1,8 |
| ● Tractor power from | 27 kW |
| ● Cardan RPM | 540 RMP |
| ● Hinge type | II - as specified by the customer |
| ● Rotating cylinder RPM | 1 700 RMP |
| ● Standard knives Y - max. wood 3cm | 56pcs. |
| ● Hammer - max. wood 7cm | 28pcs. |
| ● Straigt knives II - straw | 56pcs. |
| ● Type | Back - solid |
| ● | |

MULCHER 1.500

MU/02



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened-wall material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Variant for straw crushing and variant combi (grass - straw): for mulching of straw or straw + grass, the mulcher is constructively modified. In addition, we have a contra-rotating cutter, the back cover is hinged and has propellers that blow the straw into the interline. The knives are straight II, for the combined version of the knife II + Y. The extra variant costs 7000 CZK

Technical parameters

| | |
|-------------------------------------|--------------------------------------|
| ● Length | 1,35 m |
| ● Width | 1,85 m |
| ● Height | 0,9 m |
| ● Weight | 450 kg |
| ● Working area width | 1,5 |
| ● Tractor power from | 23 kW |
| ● Cardan RPM | 540 RMP |
| ● Hinge type | I, II - as specified by the customer |
| ● Rotating cylinder RPM | 1 700 RMP |
| ● Standard knives Y - max. wood 3cm | 48pcs. |
| ● Hammer - max. wood 7cm | 24pcs. |
| ● Straigt knives II - straw | 48pcs. |
| ● Type | Back - solid |
| ● | |

MULCHER 1.000

MU/01



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Variant for straw crushing and variant combi (grass - straw): for mulching of straw or straw + grass, the mulcher is constructively modified. In addition, we have a contra-rotating cutter, the back cover is hinged and has propellers that blow the straw into the interline. The knives are straight II, for the combined version of the knife II + Y. The extra variant costs 7000 CZK

Technical parameters

| | |
|-------------------------------------|--------------------------------------|
| ● Length | 1,35 m |
| ● Width | 1,35 m |
| ● Height | 0,9 m |
| ● Weight | 300 kg |
| ● Working area width | 1 |
| ● Tractor power from | 12 kW |
| ● Cardan RPM | 540 RMP |
| ● Hinge type | I, II - as specified by the customer |
| ● Rotating cylinder RPM | 1 700 RMP |
| ● Standard knives Y - max. wood 3cm | 32pcs. |
| ● Hammer - max. wood 7cm | 16pcs. |
| ● Straigt knives II - straw | 32pcs. |
| ● Type | Back - solid |
| ● | |

По вопросам продаж и поддержки обращайтесь:

| | | | |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231 | Казань (843)206-01-48 | Новокузнецк (3843)20-46-81 | Смоленск (4812)29-41-54 |
| Архангельск (8182)63-90-72 | Калининград (4012)72-03-81 | Новосибирск (383)227-86-73 | Сочи (862)225-72-31 |
| Астрахань (8512)99-46-04 | Калуга (4842)92-23-67 | Омск (3812)21-46-40 | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60 | Кемерово (3842)65-04-62 | Орел (4862)44-53-42 | Сургут (3462)77-98-35 |
| Белгород (4722)40-23-64 | Киров (8332)68-02-04 | Оренбург (3532)37-68-04 | Тверь (4822)63-31-35 |
| Брянск (4832)59-03-52 | Краснодар (861)203-40-90 | Пенза (8412)22-31-16 | Томск (3822)98-41-53 |
| Владивосток (423)249-28-31 | Красноярск (391)204-63-61 | Пермь (342)205-81-47 | Тула (4872)74-02-29 |
| Волгоград (844)278-03-48 | Курск (4712)77-13-04 | Ростов-на-Дону (863)308-18-15 | Тюмень (3452)66-21-18 |
| Вологда (8172)26-41-59 | Липецк (4742)52-20-81 | Рязань (4912)46-61-64 | Ульяновск (8422)24-23-59 |
| Воронеж (473)204-51-73 | Магнитогорск (3519)55-03-13 | Самара (846)206-03-16 | Уфа (347)229-48-12 |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70 | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04 |
| Иваново (4932)77-34-06 | Мурманск (8152)59-64-93 | Саратов (845)249-38-78 | Челябинск (351)202-03-61 |
| Ижевск (3412)26-03-58 | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93 | Череповец (8202)49-02-64 |
| Иркутск (395)279-98-46 | Нижний Новгород (831)429-08-12 | Симферополь (3652)67-13-56 | Ярославль (4852)69-52-93 |
| Россия (495)268-04-70 | Киргизия (996)312-96-26-47 | Казахстан (7172)727-132 | |