

# Технические характеристики

## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



10325

### SLIP SHACKLE SWIVEL, DOUBLE-SIDED WITH G10 PULLEY

SLIP CLIPS

The swivel double-sided slip shackle with pulley is suitable for connecting chain and wire rope. One end contains a pulley or roller. This makes it much gentler when moving along the rope and can be used in the eye at the end of the rope. This is a reversible type of slip shackle, meaning it doesn't matter which side the chain is inserted into the slip shackle. The slip shackle includes a nut that allows you to loosen the slip shackle at any time and mount it anywhere on the rope. Multiple trunks or branches can be approached and retracted at once using the glide shackles.



51958

### DOUBLE-SIDED SLIP SHACKLE WITH PULLEY G10

SLIP CLIPS

The double-sided slip shackle with pulley is suitable for connecting chain and wire rope. One end contains a pulley or sheave. This makes it much gentler when moving along the rope and can be used in the eye at the end of the rope. This is a reversible type of slip shackle, meaning it doesn't matter which side the chain is inserted into the slip shackle. The slip shackle includes a nut that allows you to loosen the slip shackle at any time and mount it to any place on the rope. Multiple trunks or branches can be approached and retracted at the same time using the glide shackles.



55763

### SLIP SHACKLE DOUBLE-SIDED SWIVEL G10

SLIP CLIPS

Slip shackle swivel double-sided in higher strength class G10 is used for connecting chain and wire rope. It is a double-sided type of shackle and can be connected to the chain lashing from both sides. This type is rotatable in its entire range - 360° and the chain lashing is not twisted and deformed when tying and pulling the load. The slip yoke includes a nut, thanks to which you can loosen the rope slip yoke at any time and mount it freely on the winch rope. The optimum shape of the shackle ensures that the chain links are gentle on the chain. With the sliding shackle, multiple logs or branches can be approached and retracted at the same time.



55123

### SLIP SHACKLE 5/6

SLIP CLIPS

Slip shackle for iron horses.



## SIDE SLIP BUCKLE FOR ROPE LASHINGS

SLIP CLIPS

Slip shackle for rope lashings. For rope up to 14 mm.

10664



## SLIP SHACKLE DOUBLE-SIDED G10

SLIP CLIPS

Double-sided slip shackle in strength class G10 is suitable for connecting chain and wire rope. Its load capacity is 25 % higher compared to the G8 class. It is a reversible type of shackle. The slip shackle includes a nut, which allows you to loosen the rope slip shackle at any time and mount it freely on the winch rope. The optimum shape of the shackle ensures that the chain links are gentle on the chain. With the sliding shackle, multiple logs or branches can be approached and retracted at the same time.

900325



## SLIP CLASP

SLIP CLIPS

The slip clip is used to connect the chain lashing to the winch wire rope. The slip clip is threaded onto the crimped wire rope before mounting on the winch. Designed for 7 and 8 mm chains. Steel ropes 8 - 16 mm. Casting.

55027



## SLIP SHACKLE SINGLE SIDED G10

SLIP CLIPS

The single-sided slip shackle in strength class G10 is suitable for connecting chain and wire rope. Its load capacity is 25 % higher compared to the G8 class. It is a single-sided type of shackle. The slip shackle includes a nut, which allows you to loosen the rope slip shackle at any time and mount it freely on the winch rope. The optimum shape of the shackle ensures that the chain links are gentle on the chain. With the sliding shackle, multiple logs or branches can be approached and retracted at the same time.

For chain: 6 mm, 7/8 mm.



900546

### SLIP SHACKLE SWIVEL ONE-SIDED

SLIP CLIPS

The single-sided swivel slip shackle is used to connect the chain and the wire rope. It is a one-sided type of shackle and can be connected to the chain lashing from one side only. This type is rotatable in its entire range - 360° and the chain lashing is not twisted and deformed when tying and pulling the load. The slip yoke includes a nut, thanks to which you can loosen the rope slip yoke at any time and mount it freely on the winch rope. The optimum shape of the shackle ensures that the chain links are gentle on the chain. With the sliding shackle, multiple logs or branches can be approached and retracted at the same time.



53589

### G8 DOUBLE-SIDED SLIP SHACKLE

SLIP CLIPS

Double-sided slip shackle in strength class G8 is suitable for connecting chain and wire rope. It is a reversible type of shackle. The slip shackle includes a nut, thanks to which you can loosen the rope slip shackle at any time and mount it freely on the winch rope. The optimum shape of the shackle ensures that the chain links are gentle on the chain. With the sliding shackle, multiple logs or branches can be approached and retracted at the same time. For 7/8mm chain.



55700

### SHORTENING CLIP BLUE

SLIP CLIPS

Shortening blue clip for 7/8mm sliding caliper.



53694

### SLIDE PART LK8

SLIP CLIPS

Slide part/strap - spare part. The sliding part is a spare part for sliding calipers.

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	