

# Технические характеристики

## По вопросам продаж и поддержки обращайтесь:

|                             |                                 |                                |                           |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231        | Казань (843)206-01-48           | Новокузнецк (3843)20-46-81     | Смоленск (4812)29-41-54   |
| Архангельск (8182)63-90-72  | Калининград (4012)72-03-81      | Новосибирск (383)227-86-73     | Сочи (862)225-72-31       |
| Астрахань (8512)99-46-04    | Калуга (4842)92-23-67           | Омск (3812)21-46-40            | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60      | Кемерово (3842)65-04-62         | Орел (4862)44-53-42            | Сургут (3462)77-98-35     |
| Белгород (4722)40-23-64     | Киров (8332)68-02-04            | Оренбург (3532)37-68-04        | Тверь (4822)63-31-35      |
| Брянск (4832)59-03-52       | Краснодар (861)203-40-90        | Пенза (8412)22-31-16           | Томск (3822)98-41-53      |
| Владивосток (423)249-28-31  | Красноярск (391)204-63-61       | Пермь (342)205-81-47           | Тула (4872)74-02-29       |
| Волгоград (844)278-03-48    | Курск (4712)77-13-04            | Ростов-на-Дону (863)308-18-15  | Тюмень (3452)66-21-18     |
| Вологда (8172)26-41-59      | Липецк (4742)52-20-81           | Рязань (4912)46-61-64          | Ульяновск (8422)24-23-59  |
| Воронеж (473)204-51-73      | Магнитогорск (3519)55-03-13     | Самара (846)206-03-16          | Уфа (347)229-48-12        |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70           | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04  |
| Иваново (4932)77-34-06      | Мурманск (8152)59-64-93         | Саратов (845)249-38-78         | Челябинск (351)202-03-61  |
| Ижевск (3412)26-03-58       | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93     | Череповец (8202)49-02-64  |
| Иркутск (395)279-98-46      | Нижний Новгород (831)429-08-12  | Симферополь (3652)67-13-56     | Ярославль (4852)69-52-93  |
| Россия (495)268-04-70       | Киргизия (996)312-96-26-47      | Казахстан (7172)727-132        |                           |



### PROFILE SHAFT 1 3/8

TRACTOR ACCESSORIES - SHAFTS

Profile shaft 1 3/8"-6. Price is per inch.

434(176322)



### BALL OF THE THIRD POINT CAT.2.INTERNAL DIAMETER 25,4MM

TRACTOR ACCESSORIES - BALLS

Balls of the third point cat. 2.

Width (B): 51 mm

Outer diameter (D): 50 mm

Category 2

Inner diameter (d):25,4 mm

53108(162372)



### LOWER ARM BALL CAT.2

TRACTOR ACCESSORIES - BALLS

Width (B) 45 mm

Outer diameter (D) 56 mm

Category 2

Inner diameter (d) 28,5 mm

13320(162378)



### LOWER ARM BALL CAT. 1

TRACTOR ACCESSORIES - BALLS

Ball of the lower arm cat. 1.

Width (B): 35 mm

Outer diameter (D): 44 mm

Cat 1

Inner diameter (d): 22,2 mm

54989(162366)



### THIRD POINT BALL CAT. 3/2, INTERNAL DIAMETER 25,4MM

TRACTOR ACCESSORIES - BALLS

Balls of the third point cat. 3/2.

Width : 51 mm

Outer diameter (D): 60 mm

Cat 3/2

Inner diameter (d) : 25,4 mm

55304(162472)



54290(162473)

### BALL OF THE LOWER ARM CAT. 3.

TRACTOR ACCESSORIES - BALLS

Ball of the lower arm cat. 3.  
Outer diameter (D): 64 mm  
Outer diameter 2 (D2): 45 mm  
Cat 3  
Inner diameter (d): 37,5 mm



54049(162482)

### BALLS OF THE THIRD POINT CAT. 3

TRACTOR ACCESSORIES - BALLS

Third point ball cat. 3, outer  $\varnothing$  60 mm, inner  $\varnothing$  32,5 mm.  
Width (B): 51 mm  
Outer diameter : 60 mm  
Category 3  
Inner diameter (d) : 32,5 mm



53581(162474)

### LOWER ARM BALL CAT. 3/2

TRACTOR ACCESSORIES - BALLS

Ball of lower arm cat. 3/2.  
Width (B): 45 mm  
Outside diameter (D) : 64 mm  
Cat 3/2  
Inner diameter (d) : 28,5 mm



51984(162359)

### LOWER ARM BALL CAT. 2L

TRACTOR ACCESSORIES - BALLS

Lower arm ball cat. 2L.  
Width: 35 mm  
Outside diameter (D): 56 mm  
Cat 2L  
Inner diameter (d): 22,2 mm



54720(162370)

### BALLS WITH COLLAR CAT. 2

TRACTOR ACCESSORIES - BALLS

Balls with collar cat. 2.  
Outer diameter (D): 56 mm  
Outer diameter 2 (D2): 12 mm  
Cat 2  
Inner diameter (d): 28,5 mm



### LOWER ARM BALL CAT. 2/3

TRACTOR ACCESSORIES - BALLS

Ball of lower arm cat. 2/3.

Width (B): 38 mm

Outer diameter (D): 56 mm

Cat 2/3

Inner diameter (d): 37,5 mm

51985(162382)



### BALLS WITH COLLAR CAT. 3.

TRACTOR ACCESSORIES - BALLS

Balls with collar cat. 3.

Outer diameter (D): 64 mm

Outer diameter 2 (D2): 16 mm

Cat 3

Inner diameter (d): 37,5 mm

53209(162480)



### PROFILE SHAFT 150 MM, 1 3/8

TRACTOR ACCESSORIES - SHAFTS

11850(176304)



### THIRD POINT MECHANICAL, CAT. 1, 300-385 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 1, 300-385 mm.

900235(161100)

Technical features:

External thread (G): M24 x 3

Width (B): 44 mm

Height (H): 60 mm

Tractor side category 1

Length 2 (L2): 180 mm

Length (L) max.: 385 mm

Length (L) min.: 300 mm

Inner diameter (d): 19 mm

Inner diameter 2 (d2): 19 mm



### PROFILE SLEEVE 1 3/8, 100MM

TRACTOR ACCESSORIES - EXTENSIONS

Profile sleeve 1 3/8"-6, length 100 mm. Load max.(Nm)1 200 Newtonmeter.

127(176381)



### THIRD POINT MECHANICAL, CAT. 1, 240-290 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 1, 240-290 mm.

External thread (G): M24 x 3

Width (B): 44 mm

Height (H): 60 mm

Tractor side category 1

Length 2 (L2): 120 mm

Length (L) max : 290 mm

Length (L) min : 240 mm

Inner diameter (d): 19 mm

Inner diameter 2 (d2): 19 mm

52028(161106)



### PROFILE SHAFT 250MM, 1 3/8 -6

TRACTOR ACCESSORIES - SHAFTS

Profile shaft 250 mm, 1 3/8"-6. Load max.(Nm)1 200 Newtonmeter.

51847(176308)



### THIRD POINT MECHANICAL, CAT. 1, 355-515 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 1, 355-515 mm.

External thread (G) : M24 x 2,5

Width (B) : 44 mm

Height (H): 62 mm

Tractor side category 1

Length 2 (L2): 245 mm

Length (L) max : 515 mm

Length (L) min.: 355 mm

Inner diameter (d): 19 mm

Inner diameter 2 (d2): 19 mm

11866(161101)



12726(161107)

### THIRD POINT MECHANICAL, CAT. 1, 280-320 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 1, 280-320 mm.

External thread (G): M24 x 3

Width (B): 44 mm

Height (H): 60 mm

Tractor side category1

Length 2 (L2): 150 mm

Length (L) max. : 320 mm

Length (L) min : 280 mm

Inner diameter (d): 19 mm

Inner diameter 2(d2) : 19 mm



10059(176390)

### PROFILE SLEEVE 1 1/8, 70MM

TRACTOR ACCESSORIES - EXTENSIONS

Profile sleeve 1 1/8"-6, length 70 mm. Load max.(Nm)1 200 Newtonmeter.



13071(161125)

### THIRD POINT MECHANICAL, CAT. 2, 515-760 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 515-760 mm.

External thread (G): M27 x 3

Width (B): 42 mm

Height (H): 66 mm

Tractor side category 2

Length 2 (L2): 400 mm

Length (L) max.: 760 mm

Length (L) min.: 515 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



### THIRD POINT MECHANICAL, CAT. 2, 435-675 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 435-675 mm.

4159(161120)

Technical features :  
External thread (G) : M27 x 3  
Width (B) : 42 mm  
Height (H) : 66 mm

Tractor side category 2  
Length 2 (L2) : 320 mm  
Length (L) max: 675 mm  
Length (L) min. : 435 mm  
Inner diameter (d) : 25,4 mm  
Inner diameter 2 (d2): 25,4 mm



### PROFILE SLEEVE 1 3/8-6, LENGTH 150MM

TRACTOR ACCESSORIES - EXTENSIONS

Profile sleeve 1 3/8"-6, length 150 mm. Load max.(Nm)1 200 Newtonmeter.

51372(176382)



### THIRD POINT MECHANICAL, CAT. 2, 385-565 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 385-565 mm.

External thread (G): M27 x 3  
Width (B): 51 mm  
Height (H): 66 mm

900493(161116)

Tractor side category 2  
Length 2 (L2): 275 mm  
Length (L) max: 565 mm  
Length (L) min.: 385 mm  
Inner diameter (d): 25,4 mm  
Inner diameter 2 (d2): 25,4 mm



### SHAFT EXTENSION 1 3/8 -6

TRACTOR ACCESSORIES - EXTENSIONS

Shaft extension with flexible pin hole, 150 mm, 1 3/8"-6.

241(176203)



13325(161105)

### THIRD POINT MECHANICAL, CAT. 1, 425-655 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 1, 425-655 mm.

External thread (G): M27 x 3

Width (B): 44 mm

Height (H) : 60 mm

Tractor side category 1

Length 2 (L2) : 320 mm

Length (L) max : 655 mm

Length (L) min : 425 mm

Inner diameter (d) : 19 mm

Inner diameter 2 (d2): 19 mm



5812(161127)

### THIRD POINT MECHANICAL, CAT. 2, 570-820 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 570-820 mm.

External thread (G) : M27 x 3

Width (B) : 42 mm

Height (H): 66 mm

Tractor side category 2

Length 2 (L2): 450 mm

Length (L) max: 820 mm

Length (L) min.: 570 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



55722(176207)

### SHAFT REDUCER WITH HOLE FOR FLEXIBLE PIN, 1 1/8

TRACTOR ACCESSORIES - EXTENSIONS

Shaft reducer with flexible pin hole, 1 1/8"-6, 1 3/8"-6. Load max.(Nm)1 200 Newtonmeter.

Length (L) : 150 mm

External profile type: 1 3/8 (6)

Inner profile type: 1 1/8 (6)





5152(161135)

### THIRD POINT MECHANICAL, CAT. 2, 620-930 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 620-930 mm.

External thread (G): M27 x 3

Width (B): 42 mm

Height (H): 66 mm

Tractor side category 2

Length 2 (L2): 500 mm

Length (L) max.: 930 mm

Length (L) min.: 620 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



900728(176205)

### SHAFT REDUCER WITH HOLE FOR FLEXIBLE PIN, 1 3/8

TRACTOR ACCESSORIES - EXTENSIONS

Shaft reducer with flexible pin hole inner 1 3/8"-6, outer 1 1/8-6.



12567(161139)

### THIRD POINT MECHANICAL, CAT. 2, 470-720 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 470-720 mm.

External thread (G): M30 x 3

Width (B): 51 mm

Height (H): 75 mm

Tractor side category 2

Length 2 (L2): 350 mm

Length (L) max.: 720 mm

Length (L) min.: 470 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



900640(176204)

### SHAFT EXTENSION WITH HOLE FOR FLEXIBLE PIN, 200 MM, 1 3/8

TRACTOR ACCESSORIES - EXTENSIONS

Shaft extension with hole for flexible pin, 200 mm, 1 3/8"-6. Load max.(Nm)1 200 Newtonmeter.



### PROFILE SHAFT 1 3/8

TRACTOR ACCESSORIES - SHAFTS

Profile shaft 1 3/8"-6, 250 mm. Load max.(Nm)1 200 Newtonmeter.

10122(176320)



### SHAFT EXTENSION WITH PIN, 200 MM, 1 3/8

TRACTOR ACCESSORIES - EXTENSIONS

Shaft extension with pin, 200 mm, 1 3/8"-6. Load max.(Nm)1 200 Newtonmeter.

900729(176102)



### PROFILE SLEEVE 1 3/8

TRACTOR ACCESSORIES - EXTENSIONS

Profile sleeve 1 3/8"-6. 130 mm. Load max.(Nm)2 500 Newtonmeter.

900399(10045395)



### THIRD POINT MECHANICAL, CAT. 2S, 555-830 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2S, 555-830 mm.

External thread (G): M36 x 3

Width (B): 51 mm

Height (H): 95 mm

10329(161229)

Tractor side category 2

Length 2 (L2): 400 mm

Length (L) max.: 830 mm

Length (L) min.: 555 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



55779(161123)

### THIRD POINT MECHANICAL, CAT. 2, 730-980 MM

TRACTOR ACCESSORIES

External thread (G)M30 x 3

Width (B) 51 mm

Height (H) 75 mm

Tractor side category 2

Length 2 (L2) 610 mm

Length (L) max. 980 mm

Length (L) min. 730 mm

Inner diameter (d) 25,4 mm

Inner diameter 2 (d2) 25,4 mm



54340(161138)

### THIRD POINT MECHANICAL, CAT. 2, 850-1,100 MM

TRACTOR ACCESSORIES - THIRD POINTS

Third point mechanical, cat. 2, 850-1,100 mm.

External thread (G): M30 x 3

Width (B): 51 mm

Height (H): 75 mm

Tractor side category 2

Length 2 (L2): 730 mm

Length (L) max.: 1 100 mm

Length (L) min.: 850 mm

Inner diameter (d): 25,4 mm

Inner diameter 2 (d2): 25,4 mm



900731(170012)

### DRIVE SHAFT AW10, 760 MM

TRACTOR ACCESSORIES - CARDANS

Drive shaft AW10, 760 mm.

Dimension C 64 mm

Machine side connection AG 1 3/8-6 mit Slide-Lock

Connection on tractor side 1 3/8-6 Slide Lock fork

Design size Walterscheid 2100

Construction size Weasler AW10

Cross unit 22 x 54.8 mm

Length (L) max. 1 074 mm

Length (L) min. 760 mm

Power (PS) at 1000 rpm 13 Horsepower

Power (PS) at 540 rpm 8 Horsepower

Profile tube on machine side 30 x 3 mm

Profile tube on tractor side 23.5 x 3.5 mm



## SHAFT EXTENSION WITH SCREW, 175 MM, 1 3/4

TRACTOR ACCESSORIES - EXTENSIONS

900535(176156)

Shaft extension with screw, 175 mm, 1 3/4"-6.

External thread (G): M12x75

Max. load (Nm): 1 200 Newtonmeter

Outside diameter (D) : 44.4 mm

Length (L) : 175 mm

Outer profile type : 1 3/4 (6)

Inner profile type : 1 3/4 (6)



## DRIVE SHAFT AW20, 760 MM

TRACTOR ACCESSORIES - CARDANS

900730(140022)

Drive shaft AW20, 760 mm,

Dimension C 72 mm

Machine side connection AG 1 3/8-6 mit Slide-Lock

Tractor side connection 1 3/8-6 Slide Lock fork

Design size Walterscheid 2200

Construction size Weasler AW20

Cross unit 23.8 x 61.2 mm

Length (L) max. 1 065 mm

Length (L) min. 760 mm

Power (PS) at 1000 rpm 33 Horsepower

Power (PS) at 540 rpm 21 Horsepower

Profile tube on machine side 41 x 2.9 mm

Profile tube on tractor side 34.5 x 4 mm



## DRIVE SHAFT AW10, 460 MM

TRACTOR ACCESSORIES - CARDANS

53692(170012)

Drive shaft AW10, 460 mm.

Dimension C 64 mm

Machine side connection 1 3/8-6 Slide Lock fork

Tractor side connection 1 3/8-6 Slide Lock fork

Design size Walterscheid 2100

Construction size Weasler AW10

Cross unit 22 x 54.8 mm

Length (L) max. 624 mm

Length (L) min. 460 mm

Power (PS) at 1000 rpm 13 Horsepower

Power (PS) at 540 rpm 8 Horsepower

Profile tube for 30 x 3 mm sidewalls

Profile tube on tractor side 23.5 x 3.5 mm



51418(140013)

### DRIVE SHAFT AW10, 560 MM

TRACTOR ACCESSORIES - CARDANS

Drive shaft AW10, 560 mm

Dimension C 64 mm

Machine side connection AG 1 3/8-6 mit Slide-Lock

Connection on tractor side 1 3/8-6 Slide-lock fork

Design size Walterscheid 2100

Construction size Weasler AW10

Cross unit 22 x 54.8 mm

Length (L) max. 774 mm


Length (L) min. 560 mm

Power (PS) at 1000 rpm 13 Horsepower

Power (PS) at 540 rpm 8 Horsepower

Profile tube on machine side 30 x 3 mm

Profile tube on tractor side 23.5 x 3.5 mm



10485(170014)

### DRIVE SHAFT AW10, 1.010 MM

TRACTOR ACCESSORIES - CARDANS

Drive shaft AW10, 1.010 mm.

Dimension C 64 mm

Machine side connection AG 1 3/8-6 mit Slide-Lock

Connection on tractor side 1 3/8-6 Slide Lock fork

Design size Walterscheid 2100

Construction size Weasler AW10

Cross unit 22 x 54.8 mm

Length (L) max. 1 449 mm

Length (L) min. 1 010 mm

Power (PS) at 1000 rpm 13 Horsepower

Power (PS) at 540 rpm 8 Horsepower

Profile tube on machine side 30 x 3 mm

Profile tube on tractor side 23,5 x 3,5 mm



## DRIVE SHAFT AW20, 610 MM

TRACTOR ACCESSORIES - CARDANS

Drive shaft AW20, 610 mm.

Dimension C 72 mm

900349(170021)

Machine side connection AG 1 3/8-6 mit Schiebestift

Tractor side connection 1 3/8-6 Slidelock fork

Design size Walterscheid 2200

Construction size Weasler AW20

Cross unit 23.8 x 61.2 mm

Length (L) max. 840 mm


Length (L) min. 610 mm

Power (PS) at 1000 rpm 33 Horsepower

Power (PS) at 540 rpm 21 Horsepower

Profile tube on machine side 41 x 2.9 mm

Profile tube on tractor side 34.5 x 4 mm



## DRIVE SHAFT AW21, 560 MM

TRACTOR ACCESSORIES

Cardan for small tractors

775(170034)

Technical features

Dimension C 83 mm

Machine side connection 1 3/8 (6) Slide Lock fork

Tractor side connection 1 3/8 (6) Slide Lock fork

Design size Walterscheid 2300

Construction size Weasler AW21

Cross unit 27,0 x 74,6 mm

Length (L) max. 755 mm

Length (L) min. 560 mm

Power (PS) at 1000 rpm 56 Horsepower

Power (PS) at 540 rpm 36 Horsepower

Profile tube on machine side 41 x 2.9 mm

Profile tube on tractor side 34.5 x 4 mm



52269(170023)

## DRIVE SHAFT AW20, 560 MM

TRACTOR ACCESSORIES - CARDANS

Drive shaft AW20, 560 mm.

Dimension C 72 mm

Machine side connection AG 1 3/8-6 mit Slide-Lock

Tractor side connection 1 3/8-6 Slidelock fork

Design size Walterscheid 2200

Construction size Weasler AW20

Cross unit 23.8 x 61.2 mm

Length (L) max. 765 mm

Length (L) min. 560 mm

Power (PS) at 1000 rpm 33 Horsepower

Power (PS) at 540 rpm 21 Horsepower

Profile tube on machine side 41 x 2.9 mm

Profile tube on tractor side 34.5 x 4 mm



## CARDAN 70CM

ACCESSORIES FOR HARROWS - CHIPPERS



## CARDAN 90CM

ACCESSORIES FOR HARROWS - CHIPPERS



TRACTOR ACCESSORIES - CARDANS



## CARDAN 90CM WITH FREEWHEEL

ACCESSORIES FOR HARROWS - MULCHERS

**По вопросам продаж и поддержки обращайтесь:**

|                             |                                 |                                |                           |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231        | Казань (843)206-01-48           | Новокузнецк (3843)20-46-81     | Смоленск (4812)29-41-54   |
| Архангельск (8182)63-90-72  | Калининград (4012)72-03-81      | Новосибирск (383)227-86-73     | Сочи (862)225-72-31       |
| Астрахань (8512)99-46-04    | Калуга (4842)92-23-67           | Омск (3812)21-46-40            | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60      | Кемерово (3842)65-04-62         | Орел (4862)44-53-42            | Сургут (3462)77-98-35     |
| Белгород (4722)40-23-64     | Киров (8332)68-02-04            | Оренбург (3532)37-68-04        | Тверь (4822)63-31-35      |
| Брянск (4832)59-03-52       | Краснодар (861)203-40-90        | Пенза (8412)22-31-16           | Томск (3822)98-41-53      |
| Владивосток (423)249-28-31  | Красноярск (391)204-63-61       | Пермь (342)205-81-47           | Тула (4872)74-02-29       |
| Волгоград (844)278-03-48    | Курск (4712)77-13-04            | Ростов-на-Дону (863)308-18-15  | Тюмень (3452)66-21-18     |
| Вологда (8172)26-41-59      | Липецк (4742)52-20-81           | Рязань (4912)46-61-64          | Ульяновск (8422)24-23-59  |
| Воронеж (473)204-51-73      | Магнитогорск (3519)55-03-13     | Самара (846)206-03-16          | Уфа (347)229-48-12        |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70           | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04  |
| Иваново (4932)77-34-06      | Мурманск (8152)59-64-93         | Саратов (845)249-38-78         | Челябинск (351)202-03-61  |
| Ижевск (3412)26-03-58       | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93     | Череповец (8202)49-02-64  |
| Иркутск (395)279-98-46      | Нижний Новгород (831)429-08-12  | Симферополь (3652)67-13-56     | Ярославль (4852)69-52-93  |
| Россия (495)268-04-70       | Киргизия (996)312-96-26-47      | Казахстан (7172)727-132        |                           |