

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



DIRECTIONAL PULLEY OPEN PRO

PULLEYS

Galvanised return pulley with ball bearings for approaching and withdrawing wood. The rope is inserted directly. The pulley is supplied without Unilock coupling. Max. towing force: 2,5 t.



ALU DIRECTIONAL PULLEY

PULLEYS

Pulley with aluminium frame. The roll is made of hardened steel. Easy insertion of the rope even when the pulley is hanging thanks to the hinged sidewall. Simple and safe locking. Carrying capacity: 2 t.



DIRECTIONAL PULLEY

PULLEYS

Directional pulley with swivel sidewalls. Galvanized roller with ball bearings. Easy rope assembly thanks to swivel side plates. Pulling power: 3 t.



RIGGING WITH HINGED SIDEWALL AND HOOK

PULLEYS

The rigging with hinged sidewall and hook is designed for heavy duty applications. The great advantage of the rigging is the high quality ball bearing. The hinged side mechanism of the rigging makes it easy to insert the rope and there is no lack of a high-strength swivel hook. Size: 2t 10/144mm.



KLADKA SR

PULLEYS

Directional pulley with fixed SR sidewalls. Guiding pulley with fixed sidewalls for small rope winches, thin timber approximation, assembly. Galvanized steel pulley with ball bearings. Locking screw is secured against loss. Tractive force: 1 t.



STEEL PULLEY WITH FREE SIDES ROUNDED TYPE 2

PULLEYS

Steel pulley with free sides, round, type2 is painted black or red, has split sides, split hinge and cast iron coil. Size: 1t 10/100mm, 2.5t 12/125mm.



RIGGING WITH MOVABLE SIDE RAILS

PULLEYS

Rigging with movable side rails and ball bearing.
Size: 3t 11/105mm, 5t 12-14/140mm.



CABLEWAY WITH HINGED SIDEWALL

PULLEYS

Size: 1t 10/90mm, 2t 14/130mm.



PULLEY WITH PULLEY

PULLEYS

The pulley with sheave is made of forged steel S235JR, grade 4.6.
Size: rope 20-30/65mm 3000kg.



STEEL PULLEY WITH FREE SIDES, ROUND

PULLEYS

Steel pulley with loose sides, painted in black or red lacquer, with split sides and split hinge. The pulley has a cast-iron coil.
Size: 2t 10/100mm, 3t 12/125mm.



MOUNTING PULLEY WITH CALIPER.

PULLEYS

High-quality forestry pulley suitable for redirecting the pulling of logs in the forest during logging. The pulley is used to change the direction of pulling. The pulley contains a clamp at the top and a safety device to prevent the rope from falling out of the pulley. The shackle allows it to be quickly connected to, for example, a circular loop that you wrap around a tree to create a strong pulley connection. For easy insertion of the rope, the shackle at the top of the pulley is used. To open, simply straighten and pull out the pin. Then both the shackle and the safety catch are released to prevent the rope from falling out of the pulley. The pulley contains a ball bearing.

Size: 1,5 t, 3 t, 6 t.



UNIVERSAL PULLEY WITH CALIPER

PULLEYS

Universal pulley with shackle is designed for wire ropes. It is made of galvanized steel sheet. The coil is cast iron with a lacquer finish.
Size: 6-8/50mm 250kg, 10-12/75mm 750kg, 12-14/100mm 1000kg, 14-16/125mm 1500kg.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	