

Мульчеры серии MULCHER

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bfy@nt-rt.ru || сайт: <https://bystron.nt-rt.ru/>

MULCHER 1.500

MU/02



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened-wall material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Technical parameters

● Length	1,35 m
● Width	1,85 m
● Height	0,9 m
● Weight	450 kg
● Working area width	1,5 m
● Tractor power from	23 kW
● Cardan RPM	540 RMP
● Hinge type	I, II - as specified by the customer
● Rotating cylinder RPM	1 700 RMP
● Standard knives Y - max. wood 3cm	48pcs.
● Hammer - max. wood 7cm	24pcs.
● Straight knives II - straw	48pcs.
● Type	Back - solid
●	

MULCHER COMBI STRAW - GRASS

MU/05



Combination mulcher for straw or grass. For mulching straw, the machine is equipped with straight blades, counter blades and spreading paddles. The machine can be mechanically adjusted for conventional grass mulching. The counter blades and spreading paddles are disassembled and the straight blades are replaced by Y blades or hammers. After this modification the machine is ready for mulching grassland, crop residues and woody plants.

Technical parameters

● Working area width	1,5m, 1,8m, 2,1m
● Cardan RPM	540 RMP
● Hinge type	II - as specified by the customer
● Rotating cylinder RPM	1 700 RMP
● Standard knives Y - max. wood 3cm	incl. in the price
● Straigt knives II - straw	incl. in the price
● Hammer - max. wood 7cm	isn't incl. in the price
● Type	Back - solid
● Cardan shaft	isn't incl. in the price

Connection to a three-point tractor hitch as specified by the customer. Drive is by tractor PTO and all functions are specified mechanically. This is a fixed version and so side extension/tilt cannot be adjusted.

The machine stands out for its robust construction which is welded and reinforced with heavy duty materials. The high performance of the machine is ensured by the balanced main working cylinder, on which the type of blades can be changed. The height of the mulch from the ground is adjusted by a copying roller.

1,5m reach: 1,35x1,85x0,9m (LxWxH), 590kg, tractor power from 23kW, straight blades 48pcs + Y blades 48pcs.

1,8m reach: 1,35x2,15x0,9m (LxWxH), 620kg, tractor power from 27kW, straight blades 56pcs + Y blades 56pcs.

2,1m reach: 1,35x2,45x0,9m (LxWxH), 650kg, tractor power from 35kW, straight blades 64pcs + Y blades 64pcs.

MULCHER 1.800

MU/03



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thickened material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Technical parameters

● Length	1,35 m
● Width	2,15 m
● Height	0,9 m
● Weight	530 kg
● Working area width	1,8 m
● Tractor power from	27 kW
● Cardan RPM	540 RMP
● Hinge type	II - as specified by the customer
● Rotating cylinder RPM	1 700 RMP
● Standard knives Y - max. wood 3cm	56pcs.
● Hammer - max. wood 7cm	28pcs.
● Straight knives II - straw	56pcs.
● Type	Back - solid
●	

MULCHER 2.100

MU/04



Machine designed for surface crushing - mulching of grasses, plant residues and woods.

Connection to three-point hitch of tractor / small tractor according to customer's specification. Driven is by the tractor's PTO shaft and all functions are turned on mechanically. It is a fixed variant and it is not possible to adjust the side extension / tilt. Standard delivered blades are Y-shaped for grass. The knives can be replaced with hammers.

The machine excels in its robust construction, which is welded and reinforced with thicked-wall material, which creates a unit resistant to bending, cracking and other damage. The high power of the machine ensures a balanced main work cylinder, where the knife type can be changed. Height of the mulch from the ground is adjusted with the copy cylinder.

Technical parameters

● Length	1,35 m
● Width	2,45 m
● Height	0,9 m
● Weight	620 kg
● Working area width	2,1 m
● Tractor power from	35 kW
● Cardan RPM	540 RMP
● Hinge type	II - as specified by the customer
● Rotating cylinder RPM	1 700 RMP
● Standard knives Y - max. wood 3cm	64pcs.
● Hammer - max. wood 7cm	32pcs.
● Straight knives II - straw	64pcs.
● Type	Back - solid
●	

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bfy@nt-rt.ru || сайт: <https://bystron.nt-rt.ru/>